BBA

Biomembranes

Vol. 1104, 1992

Cumulative Contents

Regular Papers

Relationships between the surface exposure of acidic phospholipids and cell fusion in erythrocytes subjected to electrical breakdown
L.Y. Song, J.M. Baldwin, R. O'Reilly and J.A. Lucy (UK) 1

Fluorescence quenching measurements of the membrane bound lipid haptens with different length spacers
K. Kimura, Y. Arata, T. Yasuda, K. Kinosita, Jr. and M. Nakanishi (Japan) 9

Rapid loss and restoration of lipid asymmetry by different pathways in resealed erythrocyte ghosts
B. Verhoven, R.A. Schlegel and P. Williamson (USA) 15

Glucose transport by cultured human fibroblasts: regulation by phorbol esters and insulin
N. Longo, L.D. Griffin, S.D. Langley and L.J. Elsas (USA) 24

Cultured human skin fibroblasts modify their plasma membrane lipid composition and fluidity according to growth temperature suggesting homeoviscous adaptation at hypothermic (30°C) but not at hyperthermic (40°C) temperatures
Z. Sojcic, H. Toplak, R. Zuehlke, U.E. Honegger, R. Bühlmann and U.N. Wiesmann (Switzerland) 31

Inhibition of hemin-induced hemolysis by desferrioxamine: binding of hemin to red cell membranes and the effects of alteration of membrane sulfhydryl groups
S.G. Sullivan, E. Baysal and A. Stern (USA) 38

Synthetic lipid-anchored receptors based on the binding site of a monoclonal antibody
M. Egger, S.-P. Heyn and H.E. Gaub (Germany) 45

The bovine renal epithelial cell line NBL-1 expresses a broad specificity Na^+-dependent neutral amino acid transport system (System B^o) similar to that in bovine renal brush border membrane vesicles
F.A. Doyle and J.D. McGivan (UK) 55

Partitioning of (±)-5,6-dihydro-6-phenyl-2-*n*-alkyl-imidazo[2,1-*b*]thiazoles into large unilamellar liposomes: a steady-state fluorescence quenching study
M. Vermeir and N. Boens (Belgium) 63

Two currents activated by epidermal growth factor in EGFR-T17 fibroblasts
D. Lovisolo, G. Bonelli, F.M. Baccino, A. Peres, F. Alonzo and L. Munaron (Italy) 73

Expression of rat renal sodium/phosphate cotransporter in *Xenopus laevis* oocytes
H.A. Al-Mahrouq and S.A. Kempson (USA) 83

Peroxynitrite inhibits sodium uptake in rat colonic membrane vesicles
M.L. Bauer, J.S. Beckman, R.J. Bridges, C.M. Fuller and S. Matalon (USA) 87

Role of liposome size and RES blockade in controlling biodistribution and tumor uptake of GM_1-containing liposomes
D. Liu, A. Mori and L. Huang (USA) 95

Some problems of zeta potential determination in electrophoretic measurements on lipid membranes
E.M. Egorova, A.S. Dukhin and I.E. Svetlova (Russia, Ukraine) 102

Different distribution of daunomycin in plasma membranes from drug-sensitive and drug-resistant P388 leukemia cells
A.V. Ferrer-Montiel, J.M. Gonzalez-Ros and J.A. Ferragut (Spain) 111

Temperature-dependent perturbation of phospholipid bilayers by dimethylsulfoxide
T.J. Anchordoguy, J.F. Carpenter, J.H. Crowe and L.M. Crowe (USA) 117

Ionic movements mediated by monensin in frog skeletal muscle
A. Hoya and R.A. Venosa (Argentina) 123

Molecular size of the renal sodium/phosphate symporter in native and reconstituted systems
M.-C. Delisle, V. Vachon, S. Giroux, M. Potier, R. Laprade and R. Béliveau (Canada) 132

A ^{31}P-NMR spin-lattice relaxation and $^{31}P\{^1H\}$ nuclear Overhauser effect study of sonicated small unilamellar phosphatidylcholine vesicles
J.S. Tauskela and M. Thompson (Canada) 137

Aggregation of lasalocid A in membranes: a fluorescence study
A. Chattopadhyay, S.S. Komath and B. Raman (India) 147

Baculovirus-mediated expression of the Na^+/glucose cotransporter in Sf9 cells
C.D. Smith, B.A. Hirayama and E.M. Wright (USA) 151

BBA

Biomembranes

Vol. 1104, 1992

Cumulative Contents

Regular Papers

Relationships between the surface exposure of acidic phospholipids and cell fusion in erythrocytes subjected to electrical breakdown
L.Y. Song, J.M. Baldwin, R. O'Reilly and J.A. Lucy (UK) 1

Fluorescence quenching measurements of the membrane bound lipid haptens with different length spacers
K. Kimura, Y. Arata, T. Yasuda, K. Kinosita, Jr. and M. Nakanishi (Japan) 9

Rapid loss and restoration of lipid asymmetry by different pathways in resealed erythrocyte ghosts
B. Verhoven, R.A. Schlegel and P. Williamson (USA) 15

Glucose transport by cultured human fibroblasts: regulation by phorbol esters and insulin
N. Longo, L.D. Griffin, S.D. Langley and L.J. Elsas (USA) 24

Cultured human skin fibroblasts modify their plasma membrane lipid composition and fluidity according to growth temperature suggesting homeoviscous adaptation at hypothermic (30°C) but not at hyperthermic (40°C) temperatures
Z. Sojcic, H. Toplak, R. Zuehlke, U.E. Honegger, R. Bühlmann and U.N. Wiesmann (Switzerland) 31

Inhibition of hemin-induced hemolysis by desferrioxamine: binding of hemin to red cell membranes and the effects of alteration of membrane sulfhydryl groups
S.G. Sullivan, E. Baysal and A. Stern (USA) 38

Synthetic lipid-anchored receptors based on the binding site of a monoclonal antibody
M. Egger, S.-P. Heyn and H.E. Gaub (Germany) 45

The bovine renal epithelial cell line NBL-1 expresses a broad specificity Na^+-dependent neutral amino acid transport system (System B^o) similar to that in bovine renal brush border membrane vesicles
F.A. Doyle and J.D. McGivan (UK) 55

Partitioning of (±)-5,6-dihydro-6-phenyl-2-*n*-alkyl-imidazo[2,1-*b*]thiazoles into large unilamellar liposomes: a steady-state fluorescence quenching study
M. Vermeir and N. Boens (Belgium) 63

Two currents activated by epidermal growth factor in EGFR-T17 fibroblasts
D. Lovisolo, G. Bonelli, F.M. Baccino, A. Peres, F. Alonzo and L. Munaron (Italy) 73

Expression of rat renal sodium/phosphate cotransporter in *Xenopus laevis* oocytes
H.A. Al-Mahrouq and S.A. Kempson (USA) 83

Peroxynitrite inhibits sodium uptake in rat colonic membrane vesicles
M.L. Bauer, J.S. Beckman, R.J. Bridges, C.M. Fuller and S. Matalon (USA) 87

Role of liposome size and RES blockade in controlling biodistribution and tumor uptake of GM_1-containing liposomes
D. Liu, A. Mori and L. Huang (USA) 95

Some problems of zeta potential determination in electrophoretic measurements on lipid membranes
E.M. Egorova, A.S. Dukhin and I.E. Svetlova (Russia, Ukraine) 102

Different distribution of daunomycin in plasma membranes from drug-sensitive and drug-resistant P388 leukemia cells
A.V. Ferrer-Montiel, J.M. Gonzalez-Ros and J.A. Ferragut (Spain) 111

Temperature-dependent perturbation of phospholipid bilayers by dimethylsulfoxide
T.J. Anchordoguy, J.F. Carpenter, J.H. Crowe and L.M. Crowe (USA) 117

Ionic movements mediated by monensin in frog skeletal muscle
A. Hoya and R.A. Venosa (Argentina) 123

Molecular size of the renal sodium/phosphate symporter in native and reconstituted systems
M.-C. Delisle, V. Vachon, S. Giroux, M. Potier, R. Laprade and R. Béliveau (Canada) 132

A ^{31}P-NMR spin-lattice relaxation and $^{31}P\{^1H\}$ nuclear Overhauser effect study of sonicated small unilamellar phosphatidylcholine vesicles
J.S. Tauskela and M. Thompson (Canada) 137

Aggregation of lasalocid A in membranes: a fluorescence study
A. Chattopadhyay, S.S. Komath and B. Raman (India) 147

Baculovirus-mediated expression of the Na^+/glucose cotransporter in Sf9 cells
C.D. Smith, B.A. Hirayama and E.M. Wright (USA) 151

Halide permeation through 10 pS and 20 pS anion channels in human airway epithelial cells
M.A. Wilk-Blaszczak, A.S. French and S.F.P. Man (Canada) 160

Voltage-dependent stimulation of Na^+/K^+-pump current by external cations: selectivity of different K^+ congeners
H.S. Omay and W. Schwarz (Germany) 167

Conductive chloride flux across amphibian skin: inhibition by indacrinone and cobalt ion
V. Beaujean and J. Crabbé (Belgium) 174

Biodistribution and immunotargetability of ganglioside-stabilized dioleoylphosphatidylethanolamine liposomes
D.C. Litzinger and L. Huang (USA) 179

Pyrophosphate-induced acidification of trans cisternal elements of rat liver Golgi apparatus
A.O. Brightman, P. Navas, N.M. Minnifield and D.J. Morré (U.S.A., Spain) 188

Dielectric properties of yeast cells as determined by electrorotation
R. Hölzel and I. Lamprecht (Germany) 195

Reconstitution of the binding protein-dependent galactose transport of *Salmonella typhimurium* in proteoliposomes
G. Richarme, A. El Yaagoubi and M. Kohiyama (France) 201

The effect of dicyclohexylcarbodiimide and cyclopiazonic acid on the difference FTIR spectra of sarcoplasmic reticulum induced by photolysis of caged-ATP and caged-Ca^{2+}
R. Buchet, I. Jona and A. Martonosi (USA) 207

The role of Mg^{2+} and K^+ in the phosphorylation of Na^+,K^+-ATPase by ATP in the presence of dimethylsulfoxide but in the absence of Na^+
C.F.L. Fontes, H. Barrabin, H.M. Scofano and J.G. Nørby (Brasil, Denmark) 215

Rapid Report

Lipid vesicles penetrate into intact skin owing to the transdermal osmotic gradients and hydration force
G. Cevc and G. Blume (Germany) 226

Regular Papers

The sodium channel activator Brevetoxin-3 uncovers a multiplicity of different open states of the cardiac sodium channel
W. Schreibmayer and G. Jeglitsch (Austria) 233

Transbilayer asymmetry of pyrene mobility in human spherocytic red cell membranes
G. Celedon, C. Behn, Y. Montalar, M. Bagnara and C.P. Sotomayor (Chile) 243

Acidic phospholipids are required during solubilization of amino acid transport systems of *Lactococcus lactis*
G. In 't Veld, T. De Vrije, A.J.M. Driessen and W.N. Konings (Netherlands) 250

Effects of the antithrombitic agent PCA 4230 on agonist-induced Ca^{2+} entry and Ca^{2+} release in human platelets
M.T. Alonso, C. Villalobos and A. Sanchez (Spain) 257

The local anesthetic tetracaine destabilizes membrane structure by interaction with polar headgroups of phospholipids
T. Shimooka, A. Shibata and H. Terada (Japan) 261

Effects of pH on the binding of hematoporphyrin derivative to monolayer and bilayer membranes
M.R. Rich, G. Ferraro and S.S. Brody (USA) 269

Analysis of cell membrane micro-heterogeneity using the fluorescence lifetime of DPH-type fluorophores
C. Ho, B.W. Williams and C.D. Stubbs (USA) 273

Proline uptake by monolayers of human intestinal absorptive (Caco-2) cells in vitro
P.L. Nicklin, W.J. Irwin, I.F. Hassan and M. Mackay (UK) 283

Are proton symports in yeast directly linked to H^+-ATPase acidification?
A. Kotyk and M. Dvořáková (Czech and Slovak Federal Rep.) 293

Investigation of the selectivity of maltoporin channels using mutant LamB proteins: mutations changing the maltodextrin binding site
R. Benz, G. Francis, T. Nakae and T. Ferenci (Germany, Australia, Japan) 299

Reconstitution of vacuolar ion channels into planar lipid bilayers
B. Klughammer, R. Benz, M. Betz, M. Thume and K.-J. Dietz (Germany) 308

The application of pH-sensitive spin labels to studies of surface potential and polarity of phospholipid membranes and proteins
V.V. Khramtsov, D. Marsh, L. Weiner and V.A. Reznikov (Germany, Israel, USSR) 317

Effect of fatty acyl domain of phospholipids on the membrane-channel formation of *Staphylococcus aureus* alpha-toxin in liposome membrane
T. Tomita, M. Watanabe and T. Yasuda (Japan) 325

Galactolipid export from envelope to thylakoid membranes in intact chloroplasts. I. Characterization and involvement in thylakoid lipid asymmetry
A. Rawyler, M. Meylan and P.A. Siegenthaler (Switzerland) 331

Cumulative Contents, Vol. 1104 342

Author Index 344